


BOOTED (CAST-IN) RESILIENT STRUCTURE CONNECTION 12"- 30" DUAL WALL SANITITE® HP W/ SLEEVE OR NYLOPLAST PVC MH ADAPTER

BOOTED (CAST-IN) RESILIENT
STRUCTURE CONNECTION
(CAST-A-SEAL)




SLEEVE MH ADAPTER (12"-24" ONLY)

PIPE SIZE	SANITITE HP SLEEVE MANHOLE ADAPTER	
	ADS ADAPTER PRODUCT CODES	PRESS SEAL® SYSTEMS *
		CAST-A-SEAL*
12" (300mm)	1222AAPP	CAS 603 OR 802
15" (375mm)	1522AAPP	CAS 603 OR 802
18" (450mm)	1822AAPP	CAS 802
24" (600mm)	2422AAPP	CAS 802

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
KOR-N-SEAL is a registered trademark of NPC, Inc. (www.npc.com)
PSX Systems are a product of PRESS-SEAL GASKET CORPORATION. (www.press-seal.com)

BOOTED (CAST-IN) RESILIENT
STRUCTURE CONNECTION
(CAST-A-SEAL)



NYLOPLAST PVC
MH ADAPTER

PIPE SIZE	NYLOPLAST PVC MANHOLE ADAPTER	
	NYLOPLAST PRODUCT CODES	PRESS SEAL® SYSTEMS *
		CAST-A-SEAL*
12" (300mm)	1257AGHPU2	CAS 603 OR 802
15" (375mm)	1557AGHPU2	CAS603 OR 802
18" (450mm)	1857AGHPU2	CAS 603 OR 802
24" (600mm)	2457AGHPU2	CAS 802
30" (750mm)	3057AGHPU	CAS 802

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
KOR-N-SEAL is a registered trademark of NPC, Inc. (www.npc.com)
PSX Systems are a product of PRESS-SEAL GASKET CORPORATION. (www.press-seal.com)

NOTES:

- PERFORMANCE HIGHLY DEPENDENT ON INSTALLATION. CONTRACTOR MUST ENSURE MANHOLE GASKET IS UNIFORMLY SEATED AROUND STRUCTURE ADAPTER. EXTRA PRECAUTIONS MUST BE TAKEN TO PREVENT DIFFERENTIAL SETTLEMENT BETWEEN THE PIPE AND MANHOLE.
- SEE STANDARD DETAIL STD-201 AND TECHNICAL NOTE: 5.04 CONNECTIONS TO MANHOLES AND STRUCTURES FOR INSTALLATION RECOMMENDATIONS.
- NYLOPLAST PVC ADAPTOR OD EQUIVALENT TO SDR 35

© 2019 ADS, INC.

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

13	REVISED DETAILS AND TABLES	AMT	09-09-19	
REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D

12"-30" SANITITE HP BOOTED (CAST-IN)
STRUCTURE CONNECTION W/ SLEEVE OR PVC ADAPTER

DRAWING NUMBER: STD-205E



ADVANCED DRAINAGE SYSTEMS, INC.

4640 TRUEMAN BLVD
HILLIARD, OHIO 43026

DRAWN BY	JAB
DATE	4/3/09
CHK'D BY	
SCALE	NTS
SHEET	1 OF 1