



12"-60" DUAL WALL HP STORM WATERTIGHT CONNECTION USING A MANHOLE BOOT (CORED HOLE OR PRECAST) OR PRECAST COMPRESSION GASKET W/ PREFABRICATED ADAPTER



PIPE SIZE	ADAPTER OD	ADS ADAPTER GASKET	PREFABRICATED MANHOLE ADAPTER W/SMOOTH EXTERIOR				A-LOK® *
			PRESS SEAL® SYSTEMS *		KOR-N-SEAL® *		
			PSX: DIRECT DRIVE *	CAST-A-SEAL *	SERIES I OR II	SERIES 306	
12" (300mm)	14.82" (376.4mm)	1222ANBP	18M OR 20Y	CAS 802	S106-20BWS	N/A	480
15" (375mm)	18.06" (458.7mm)	1522ANBP	22L	CAS 802	S106-20WS	S306-22	580
18" (450mm)	21.71" (551.4mm)	1822ANBP	26L	CAS 802	S206-26	S306-26	710
24" (600mm)	28.72" (729.5mm)	2422ANBP	32A	CAS 802	S206-32	S306-32L	920
30" (750mm)	36.30" (922.0mm)	CUSTOM	40S	CAS 802	S206-40	S306-40	1180
36" (900mm)	42.10" (1069mm)	CUSTOM	46S	CAS 802	S206-46	S306-46	1350
42" (1050mm)	47.95" (1218mm)	CUSTOM	N/A	CAS 802	N/A	N/A	1540
48" (1200mm)	54.68" (1389mm)	CUSTOM	N/A	CAS 802	N/A	N/A	1745
60" (1500mm)	67.65" (1718mm)	CUSTOM	N/A	CAS 802	N/A	N/A	2160

* THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER
 KOR-N-SEAL is a registered trademark of NPC, Inc. (www.npc.com)
 CAST-A-SEAL is a registered trademark of PRESS-SEAL GASKET CORPORATION. (www.press-seal.com)
 A-LOK is a registered trademark of A-LOK Products, Inc. (www.a-lok.com)

CONTACT AN ADS REPRESENTATIVE FOR CUSTOM ADAPTERS

NOTES:
 PERFORMANCE HIGHLY DEPENDENT ON INSTALLATION. CONTRACTOR MUST ENSURE MANHOLE GASKET IS UNIFORMLY SEATED AROUND STRUCTURE ADAPTER. EXTRA PRECAUTIONS MUST BE TAKEN TO PREVENT DIFFERENTIAL SETTLEMENT BETWEEN THE PIPE AND MANHOLE.

THE CAST-A-SEAL CONNECTION IS FOR USE WITH SQUARE MANHOLES ONLY.

SEE STANDARD DETAIL STD-201 AND TECHNICAL NOTE: 5.04 CONNECTIONS TO MANHOLES AND STRUCTURES FOR INSTALLATION RECOMMENDATIONS.

3	RENAMED & MODIFIED ADAPTER & TABLE	RJS	03/10/16		
REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D	

© 2016 ADS, INC.

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

**12"-60" HP STORM MH BOOT OR
COMPRESSION GASKET AND FITTING**

DRAWING NUMBER: STD-207D



4640 TRUEMAN BLVD
 HILLIARD, OHIO 43026

DRAWN BY	CKM
DATE	2/23/10
CHK'D BY	
SCALE	NTS
SHEET	1 OF 1